


WESTERN BEARING PRODUCT CATLOGUE



Manufacturers & Exporters Of Bearing Since 1985

OUR INTERNATIONAL BEARING MARKET

DUBAI | AFGHANISTHAN | NEPAL | BANGLADESH | SRI LANKA | JORDEN | LEBANON | ALGERIA | TURKEY
U.S.A | OMAN | SOUTH AFRICA | AUSTRALIA | IRAN | MYANMAR | MAURITIUS | ETHIOPIA | YEMEN | MEXICO



TAPPER ROLLER BEARING

S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
1	30203	17.000	40.000	13.250
2	30204	20.000	47.000	15.250
3	30205	25.000	52.000	15.000
4	30206	30.000	62.000	17.250
5	30207	35.000	72.000	17.000
6	30208	40.000	80.000	19.750
7	30209	45.000	85.000	20.750
8	30210	50.000	90.000	21.750
9	30211	55.000	100.000	21.000
10	30212	60.000	110.000	23.750
11	30213	65.000	120.000	24.750
12	30214	70.000	125.000	26.250
13	30215	75.000	130.000	25.000
14	30218	90.000	160.000	32.500

TAPPER ROLLER BEARING

S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
15	30219	95.000	170.000	34.500
16	30220	100.000	180.000	37.000
17	30222	110.000	200.000	41.000
18	30302	15.000	42.000	14.250
19	30305	25.000	62.000	18.25
20	30306	30.000	72.000	20.75
21	30307	35.000	80.000	22.75
22	30308	40.000	90.000	25.25
23	30309	45.000	100.000	27.25
24	30310	50.000	110.000	29.250
25	30312	60.000	130.000	33.500
26	30313	65.000	140.000	36.000
27	30314	70.000	150.000	38.000
28	30315	75.000	160.000	40.000
29	30316	80.000	170.000	42.500
30	31309(30309D)	45.000	100.000	27.250
31	31312-L	60.000	103.000	33.500
32	32005X	25.000	47.000	15.000
33	32006X	30.000	55.000	17.000
34	32007X	35.000	62.000	18.000
35	32010 X	50.000	80.000	20.000
36	32011X	55.000	90.000	23.000
37	32012X	60.000	95.000	23.000
38	32015X	75.000	115.000	25.000
39	32016X	80.000	125.000	29.000
40	32017X	85.000	130.000	29.000
41	32018X	90.000	140.000	32.000
42	32019X	95.000	145.000	32.000
43	32020X	100.000	150.000	32.000
44	32022X	110.000	170.000	38.000
45	32024X	120.000	180.000	38.000
46	32026X	130.000	200.000	45.000
47	32205	25.000	52.000	19.250
48	32206	30.000	62.000	21.250
49	32207	35.000	72.000	24.25
50	32208	40.000	80.000	24.75

TAPPER ROLLER BEARING

S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
51	32209	45.000	85.000	24.75
52	32210	50.000	90.000	24.75
53	32211	55.000	100.000	24.75
54	32212	60.000	110.000	29.750
55	32212 X	60.000	110.000	28.000
56	32213	65.000	120.000	31.000
57	32214	70.000	125.000	33.25
58	32215	75.000	130.000	31.000
59	32216	80.000	140.000	35.250
60	32217	85.000	150.000	38.500
61	32218	90.000	150.000	40.000
62	32219	95.000	170.000	45.500
63	32220	100.000	180.000	49.000
64	32221	105.000	190.000	53.000
65	32222	110.000	200.000	56.000
66	32224	120.000	215.000	61.500
67	32226	130.000	230.000	67.75

69	32305	25.000	62.000	25.250
70	32306	30.000	72.000	28.750
71	32307	35.000	80.000	32.75
72	32308	40.000	90.000	35.25
73	32309	45.000	100.000	38.25
74	32310	50.000	110.000	42.250
75	32311	55.000	120.000	45.500
76	32312	60.000	130.000	48.500
77	32313	65.000	140.000	51.000
78	32314	70.000	150.000	54.000
79	32315	75.000	160.000	58.000
80	32316	80.000	170.000	61.500
81	32317	85.000	180.000	63.500
82	32318	90.000	190.000	67.500
83	32319	95.000	200.000	71.500
84	32320	100.000	215.000	77.500
85	33010	50.000	80.000	24.000
86	33012	60.000	95.000	27.000
87	33013	65.000	100.000	27.000
88	33015	75.000	115.000	31.000
89	33017	85.000	130.000	36.000
90	33019	95.000	145.000	39.000

TAPPER ROLLER BEARING

S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
91	33020	100.000	150.000	39.000
92	33021	105.000	160.000	43.000
93	33022	110.000	170.000	47.000
94	33111	55.000	95.000	30.000
95	33112	60.000	100.000	30.000
96	33113	65.000	110.000	34.000
97	33116	80.000	130.000	37.000
98	33118	90.000	150.000	45.000
99	33210	50.000	90.000	32.000
100	33211	55.000	100.000	35.000
101	33212	60.000	110.000	38.000
102	33213	65.000	120.000	41.000
103	33214	70.000	125.000	41.000
104	33215	75.000	130.000	41.000
105	02872/20 (52878/79)	28.580	73.030	22.230
106	09067/09195	19.05	49.230	18.03
107	09074/09195	19.050	49.225	19.845
108	11590/20	15.875	42.862	14.288
109	14131/276	33.338	69.012	19.845
110	14125 A/276	31.750	69.012	19.845
111	15100/250	255.000	63.000	19.000
112	15123/245	31.750	62.000	19.050
113	212049/10	66.675	122.238	38.100
114	1988/1922	28.575	57.210	19.845
115	24780/20	41.275	76.200	22.225
116	25572/20	38.100	82.931	23.812
117	25577/23	42.875	82.931	26.988
118	25580/20	44.450	82.931	23.812
119	25580/21	44.450	83.060	23.810
120	25590/20	45.620	82.930	23.810
121	25877/21	34.930	73.030	23.812
122	27687/20	82.550	125.412	25.400
123	29685/20	73.030	112.710	25.400
124	31594/20	34.930	76.200	29.370
125	320/32 X	32.000	58.000	17.000
126	36690/36620	146.050	193.675	28.575
127	368 A/362 A	50.800	90.000	20.638
128	369 S/362 A	47.625	88.900	20.638

TAPPER ROLLER BEARING


S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
129	37425/625	107.950	158.750	23.020
130	37431/625	109.538	158.750	23.020
131	3780/20	50.8	93.264	30.160
132	387/382	57.15	96.838	21.000
133	395 A/394A	63.500	110.000	22.000
134	395 S/394A	66.675	110.000	22.000
135	399 A/394A	68.270	110.020	23.380
136	3982/20	63.5	112.712	30.163
137	3984/20	66.675	112.712	30.162
138	685/672	98.425	168.275	41.275
139	414/K418	38.100	88.501	26.988
140	462 A/453 X	57.150	104.775	30.162
141	47487/20	69.850	120.000	32.550
142	482/472	69.85	120.000	29.795
143	50 KW/3720	50.000	93.264	30.162
144	535/532	44.450	111.125	38.100
145	539/532	53.975	111.125	38.103
146	565/562	63.500	130.048	36.515
147	575/572	76.200	139.992	36.512
148	575/572 X	76.200	139.700	36.512
149	580/572	82.55	140.000	36.510
150	594/592 A	95.250	152.400	39.688
151	6379/6320	65.090	135.760	583.980
152	683/672	95.250	168.275	41.275
153	685/672	98.425	168.275	41.275
154	67384/67322	120.650	196.850	46.040
155	72212/487	53.975	123.825	36.512
156	HM212044/11	60.325	122.238	38.100
157	HM 803146/10	41.275	88.900	30.163
158	HM 803149/10	44.450	88.900	30.162
159	HM 88649/10	34.926	72.233	25.400
160	HM 903249/10	44.450	93.250	30.958
161	HM804846/10	47.630	95.250	30.160
162	HM89449/10	36.512	76.200	29.370
163	JL 69349/10	38.000	63.000	17.000
164	JL819349/10	95.000	135.000	20.000
165	L68149/11	34.987	59.975	15.875
166	LM 67048/10	31.750	59.131	15.875
167	LM 104948/12	50.000	82.000	21.500
168	LM104949/11	50.800	82.550	21.980

TAPPER ROLLER BEARING

S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
169	LM104949/12	50.800	82.930	21.590
170	LM 11749/10	17.462	39.878	13.843
171	LM 11949/10	19.500	45.237	15.494
172	LM 12649/10	21.430	50.005	17.526
173	LM 44649/10	26.988	50.292	14.224
174	LM 48548/10	34.925	65.088	18.034
175	LM 501349/10	41.275	73.431	21.430
176	LM 603049/11	45.242	77.788	19.842
177	LM 57414 / LM 300811	41.000	68.000	17.500
178	M 84548/10	25.400	57.150	19.431
179	M 88048/10	33.338	68.263	22.225
180	M 88046/10	31.750	68.263	22.225
181	U 497/ U 460	44.990	79.980	24.000

AGRICULTURE TROLLEY BEARING

S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
182	32212 TROLLEY	60.000	110.000	29.750
183	32213 TROLLEY	65.000	120.000	31.000
184	32214 TROLLEY	70.000	125.000	33.250
185	32215 TROLLEY	75.000	130.000	31.000
186	32216 TROLLEY	80.000	140.000	35.250
187	32217 TROLLEY	85.000	150.000	38.500
188	32218 TROLLEY	90.000	160.000	40.000
189	32219 TROLLEY	95.000	170.000	45.500
190	32220 TROLLEY	100.000	180.000	49.000
191	32221 TROLLEY	105.000	190.000	53.000
189	33019 TROLLEY	95.000	170.000	45.500
190	32307 TROLLEY	35.000	80.000	32.750
191	32308 TROLLEY	40.000	90.000	35.000
192	535/32 TROLLEY	44.450	111.130	38.100
193	539/32 TROLLEY	53.980	111.130	38.100
194	575/572 TROLLEY	76.200	139.992	36.512
195	580/572 TROLLEY	82.550	140.000	36.510
196	482/72 TROLLEY	69.850	120.000	29.795
197	47487/20 TROLLEY	142.880	200.025	41.280




KING PIN BEARING

S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
198	T- 63 TR	16.129	41.275	12.700
199	T-122 TR	30.000	40.000	15.000
200	T-126 SR	32.000	55.700	16.000
201	T-126 TR	32.004	55.562	15.875
202	T-128 TR	32.004	66.675	18.654
203	T-138 TR	35.180	66.680	19.450
204	T-144 SR	36.750	66.680	19.450
205	T-149 SR	38.300	65.800	19.450
206	T-151 SR	38.354	72.619	21.433


CLUTCH BEARING

S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
207	1035.00	35.000	72.000	42.880
208	3527.00	44.000	82.000	37.000
209	1888180.00	25.000	62.000	12.000
210	1888451.00	25.000	62.000	12.000
211	24TK308B2(41)	38.000	48.000	16.500
212	11W 2 3/4	69.800	103.500	21.500
	6013CBD	64.900	102.350	29.100
213	21SC	48.000	54.550	17.000
	4W2 1/2	63.500	103.300	37.700
214	2143.00	50.000	55.000	18.000
215	2144.00	58.000	20.000	19.000
216	2145MM	58.000	30.000	17.000
	TF-45	52.320	104.400	50.000
217	306445 - (2RS)	50.000	81.650	24.800
237	A 1252(With Hub)	60.000	95.000	27.000
239	CT 1310 (9W 2 1/2)	63.500	103.370	22.090
	A 1252	52.350	88.200	19.300



CYLINDRICAL ROLLER BEARING

S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
247	F-49285 (JCB) 907 / 50200	40.000	61.740	32.000
248	JC 8002	30.000	62.000	19.050
249	JC 8003	49.930	80.000	15.000
250	N 1008	40.000	68.000	15.000
251	NJ 208	40.000	80.000	18.000
252	NJ 307	35.000	80.000	21.000
253	NJ 309	45.000	100.000	25.000
254	NU 309 N	45.000	100.000	25.000
255	NUP 315	75.000	100.000	25.000
256	NJ 2207	35.000	72.000	23.000
257	NJ 2208	40.000	80.000	23.000




NEEDLE ROLLER BEARING

S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
258	16 21 16	25.400	33.338	25.400
	20 27 30 TN	20.000	27.000	30.000
	202820 TN	31.750	44.450	31.750
	BB 55597 AJ	53.000	58.000	13.000
	BB SS 61037	40.200	44.200	30.000
	42 47 27 TN	42.000	47.000	27.000
265	DL 1816	18.000	24.000	16.000
	DL 2016	250.000	26.000	16.000
266	DL 3020	30.000	38.000	20.000
271	JL 108	15.875	20.638	12.700
275	JL 188	28.570	34.920	12.700
279	JL 1212	19.050	25.400	19.050

NEEDLE ROLLER BEARING				
S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
287	JL 2216	39.925	41.275	21.500
291	JL 228	34.920	41.270	12.700
295	NB 32 42 30	32.000	42.000	30.000
299	NJ 245	41.275	49.500	16.275
303	RL 1612	25.040	31.750	19.500
278	RL 1816	18.000	24.000	16.000
279	RANF 558530	55.000	85.000	29.700
280	BR 202816	20.000	28.000	16.000
281	BR 162416	25.400	38.100	25.400


NEEDLE ROLLER BEARING				
S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
282	NA 4907	35.000	55.000	20.000
283	NA 4911	55.000	80.000	25.000
284	NA 4914	70.000	100.000	30.000
285	NA 4916	80.000	110.000	30.000
286	NA 4918	90.000	125.000	35.000
287	NA 4919	95.000	130.000	35.000
288	NA 4920	100.000	140.000	40.000
289	NA 4922	110.000	150.000	40.000
290	NA 4924	120.000	165.000	45.000
291	NA 4926	130.000	130.000	50.000
292	NA 4928	140.000	190.000	50.000

STEERING BEARING				
S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
293	1503 (With Cage)	17.000	40.000	16.000
294	509043	26.500	57.000	14.800
295	ZFM-21	37.250	55.500	27.450
298	D-2	14.288	30.963	14.300
299	D-3	15.875	34.138	14.300
300	JB 1003	19.600	51.000	14.500



DOUBLE ROW ANGULAR CONTACT BALL BEARING

S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
301	3207	35.000	72.000	27.000
302	3208	40.000	80.000	30.200
303	3209	45.000	85.000	30.200
304	3210	50.000	90.000	30.200
305	3211	55.000	100.000	33.300
306	3212	60.000	110.000	36.500
307	3213 (5213)	65.000	120.000	38.000
308	3214(5214)	70.000	125.000	39.700
309	3214 M (5214)	70.000	125.000	39.700
310	3306	45.000	100.000	39.700
311	3307	35.000	80.000	34.900
312	3308	40.000	90.000	36.500
313	3309 (5309)	45.000	100.000	39.700
314	3310	50.000	110.000	44.400
315	3311	55.000	120.000	49.200
316	3312	60.000	130.000	54.000



DEEP GROOVE BALL BEARING

S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
317	6005 2RS	25.000	47.000	12.000
318	6006 2RS	30.000	55.000	13.000
319	6007 2RS	35.000	62.000	14.000
320	6008 2RS	40.000	68.000	15.000
321	6009 2RS	45.000	75.000	16.000
322	6009 NR	45.000	75.000	16.000
323	6010	50.000	80.000	16.000
324	6010 2RS	50.000	80.000	16.000


DEEP GROOVE BALL BEARING

S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
326	6013	65.000	100.000	18.000
327	6014	70.000	110.000	20.000
328	6014 2RS	70.000	110.000	20.000
329	6015	75.000	115.000	20.000
330	6016	80.000	125.000	22.000
331	6017	85.000	130.000	22.000
332	6018	90.000	140.000	24.000
333	6205 2RS	25.000	52.000	15.000
334	6206	30.000	68.000	16.000
335	6206 N	30.000	62.000	16.000
336	6206 2RS	30.000	62.000	16.000
337	6207	35.000	72.000	17.000
338	6207 N	35.000	72.000	17.000
339	6207 2RS	35.000	72.000	17.000
340	6207 RO	35.000	72.000	17.000
341	6208	40.000	80.000	18.000
342	6208 2RS	40.000	80.000	18.000
343	BL 208 Z (6208 Z)	40.000	80.000	18.000
344	6208 N	40.000	80.000	18.000
345	6209	45.000	85.000	19.000
346	6209 N	45.000	85.000	19.000
347	6209 2RS	45.000	85.000	19.000
348	6209 K	45.000	85.000	19.000
349	6210	50.000	90.000	20.000
350	6210 2RS	50.000	90.000	20.000
351	6210 N	50.000	90.000	20.000
352	BL 210 N (6210 N)	50.000	90.000	20.000
353	6211	55.000	100.000	21.000
354	BL 211 (6211)	55.000	100.000	21.000
355	BL 211 RO (6211 RO)	55.000	100.000	21.000
356	6211 N	55.000	100.000	21.000
357	6211 2RS	55.000	100.000	21.000
358	6211 RO	55.000	100.000	21.000
359	6211 K	55.000	100.000	21.000
360	6212	60.000	110.000	22.000
361	6212 N	60.000	110.000	22.000
362	6212 2RS	60.000	110.000	22.000
363	6212 K	60.000	110.000	22.000
364	6212 RO	60.000	110.000	22.000

DEEP GROOVE BALL BEARING

S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
365	6213	65.000	130.000	23.000
366	6213 2RS	65.000	130.000	23.000
367	TMB 6213/125 2RS	65.000	130.000	23.000
368	6214	70.000	125.000	24.000
369	6215	75.000	130.000	25.000
370	6215 K	75.000	130.000	25.000
371	6217	85.000	150.000	28.000
372	6218	90.000	160.000	30.000
373	6220	100.000	180.000	34.000
374	6304	20.000	52.000	15.000
375	6304 N	20.000	52.000	15.000
376	6304 2RS	20.000	52.000	15.000
377	6305	25.000	62.000	17.000
378	6305 N	25.000	62.000	17.000
379	6306	30.000	72.000	19.000
380	6306 N	30.000	72.000	19.000
381	6306 2RS	30.000	72.000	19.000
382	6307	35.000	80.000	21.000
383	6307 N	35.000	80.000	21.000
384	6307 N 2RS	35.000	80.000	21.000
385	6307 2RS	35.000	80.000	21.000
386	6308	40.000	90.000	23.000
387	BL 308 RO (6308 RO)	40.000	90.000	23.000
388	BL 308 N (6308 N)	40.000	90.000	23.000
389	6308 ZZ	40.000	90.000	23.000
390	6308 2RS	40.000	90.000	23.000
391	6308 N	40.000	90.000	23.000
392	6308 RO	40.000	90.000	23.000
393	6309	45.000	100.000	25.000
394	6309 N	45.000	100.000	25.000
395	6309 2RS	45.000	100.000	25.000
396	6310	50.000	110.000	27.000
397	6310 ZZ	50.000	110.000	27.000
398	6310 2RS	50.000	110.000	27.000
399	6311	55.000	120.000	29.000
400	6311 N	55.000	120.000	29.000
401	6311 2RS	55.000	120.000	29.000
402	6312	60.000	130.000	31.000
403	6312 2RS	60.000	130.000	31.000
404	6313	65.000	140.000	33.000


DEEP GROOVE BALL BEARING				
S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
406	6314	70.000	150.000	35.000
407	6315	75.000	160.000	37.000
408	6316	80.000	170.000	39.000
409	6318	90.000	190.000	43.000
410	6320	100.000	215.000	47.000
411	6406 N	30.000	90.000	23.000
412	LS 13	38.100	82.530	19.050
413	MS 11 (RMS 9)	28.580	71.420	20.640




WHEEL AND HUB BEARING				
S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
414	1024	40.000	73.000	55.000
415	1206	30.000	62.000	16.000
416	255237	25.000	52.000	37.000
417	DAC 3668	36.000	68.000	33.000
423	576003	70.000	32.000	31.000
424	547103 (636149)	45.000	84.000	39.000
425	547103 (636149)ABS	45.000	84.000	39.000
426	803374	39.000	68.000	37.000
427	805697 (387340)	38.000	73.000	40.000
428	805697 (805798)	15.000	15.000	11.000

WHEEL AND HUB BEARING				
S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
429	805959	15.000	15.000	15.000
430	805231	34.000	64.000	37.000
431	805233	25.000	52.000	42.000
432	805800	35.000	68.000	37.000
433	805800 ABS	35.000	68.000	37.000

WHEEL AND HUB BEARING				
S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
434	805921 (636193)	38.100	70.000	37.000
435	636096	39.000	74.000	39.000
436	636096 ABS	39.000	74.000	39.000
437	DAC 3666	32.000	48.000	23.000
438	DAC 2656	26.000	55.500	43.000




CENTER BEARING				
S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
439	88507 WOS		35.000	72.000
440	88507 WOS (W.B.)		35.000	72.000
441	88508 WOS		40.000	80.000
442	88509 WOS		45.000	85.000



WATER PUMP BEARING				
S.NO.	BEARING NO.	C'SHAFT SIZE(mm)	OUTER SIZE (mm)	D'SHAFTS (mm)
		C/A	F/H	D
443	502(FPS-14)	16/123	61/29	16
444	504	16/125	62/29	16
445				
446				


ANGULAR CONTACT BALL BEARING				
S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
447	7206	30.000	62.000	16.000
448	7209	45.000	85.000	19.000
449	7211	55.000	100.000	21.000
450	7212	60.000	110.000	22.000
451	7214	70.000	125.000	24.000
452	7215	75.000	130.000	25.000




THRUST BALL BEARING				
S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
453	51101	12.000	36.000	9.000
454	51102	15.000	28.000	9.000
455	51103	17.000	30.000	9.000
456	51104	20.000	35.000	10.000
457	51105	25.000	42.000	11.000
458	51106	30.000	47.000	11.000
459	51107	35.000	52.000	12.000
460	51108	40.000	60.000	13.000
461	51109	45.000	65.000	14.000
462	51110	50.000	70.000	14.000
463	51111	55.000	78.000	16.000

THRUST BALL BEARING				
S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
464	51112	60.000	85.000	17.000
465	51113	65.000	90.000	18.000
466	51114	70.000	95.000	18.000
467	51115	75.000	100.000	19.000
468	51116	80.000	105.000	19.000
469	51117	85.000	110.000	19.000
470	51118	90.000	120.000	22.000
471	51119	90.000	120.000	22.000
472	51120	100.000	135.000	25.000
473	51201	12.000	28.000	11.000
474	51202	15.000	32.000	12.000
475	51203	17.000	35.000	12.000
476	51204	20.000	40.000	14.000
477	51205	25.000	47.000	15.000
478	51206	30.000	52.000	16.000
479	51207	35.000	62.000	18.000
480	51208	40.000	68.000	19.000

THRUST BALL BEARING				
S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
482	51210	50.000	78.000	22.000
483	51211	55.000	90.000	25.000
484	51212	60.000	95.000	26.000
485	51213	65.000	100.000	27.000
486	51214	70.000	105.000	27.000
487	51215	75.000	110.000	27.000
488	51305	25.000	52.000	18.000
489	51306	30.000	60.000	21.000
490	51307	35.000	68.000	24.000
491	51308	40.000	78.000	26.000
492	51309	45.000	85.000	28.000
493	51310	50.000	95.000	31.000
494	51311	55.000	105.000	35.000
495	51312	60.000	110.000	35.000
496	51313	65.000	115.000	36.000
497	51314	70.000	125.000	40.000
498	51405	25.000	60.000	24.000
499	51406	30.000	70.000	28.000
500	51407	35.000	80.000	32.000



THRUST BALL BEARING				
S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
501	51408	40.000	90.000	36.000
502	51409	45.000	100.000	39.000
503	51410	50.000	110.000	43.000
504	51411	55.000	120.000	48.000
505	51412	60.000	130.000	51.000
506	51413	65.000	140.000	56.000
507	51414	70.000	150.000	60.000
508	51415	75.000	160.000	65.000



PEDESTAL UNIT BEARING


S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
509	UC205 MM	25.000	52.000	34.100
510	UC205-16	25.400	52.000	17.600
511	UC206 MM	30.000	62.000	19.600
512	UC206-18 (Inch.)	28.570	62.000	19.600
513	UC207 MM	35.000	71.860	20.600
514	UC207-20 (Inch.)	31.750	72.000	20.600
515	UC208 MM	40.000	80.000	49.200
516	UC208-24 (Inch.)	38.100	80.000	49.300
517	UC209 MM	45.000	85.000	49.200
518	UC209-28 (Inch.)	44.450	85.000	49.200
519	UC210 MM	50.000	90.000	51.600
520	UC210-32 (Inch.)	50.800	90.000	51.600
521	UC211 MM	55.000	100.000	55.600
522	UC211-32 (Inch.)	50.800	100.000	55.600
523	UC 212 (60MM)	60.000	110.000	65.100
524	UC 213 MM	65.000	120.000	65.100
525	UC213-40 (Inch.)	63.500	120.000	65.100
526	UC 214 (70MM)	70.000	125.000	74.600
527	UC 215 (75MM)	75.000	130.000	77.800

EARTHMOVERS BEARING (JCB etc..)

S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
528	30208 (907/20010)	40.000	80.000	19.750
529	30210 (907/53200)	50.000	90.000	21.750
530	30307 (907/52400)	35.000	80.000	45.500
531	37431/625	109.540	158.750	23.020

EARTHMOVERS BEARING (JCB etc..)

S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
533	28580/21(907/53600)	50.800	92.080	24.611
534	32010x(907/20012)	50.000	80.000	20.000
535	368A/362A (907/09200)	50.800	88.900	20.638
536	37425/37625(907/52200)	107.950	158.750	23.020
537	3780/20(907/04100)	50.800	93.260	30.160
538	387A/382(907/50100)	57.150	96.838	21.000
539	395A/394A(907/08000)	66.675	110.000	22.000
540	399A/394A(907/08200)	68.263	110.000	21.999
541	HM803146/10(907/08900)	41.275	88.900	30.162
542	HM803149/10(907/09000)	44.450	88.900	30.163
543	HM88649/10(907/09100)	34.925	72.233	25.400
544	HM89449/10	36.512	76.200	29.370
545	L68149/L68111(907/10000)	34.989	53.974	974.000
546	LM501349/10(907/05700)	41.275	73.431	21.430
547	LM67048/10(907/08100)	31.750	59.131	15.875
548	F49285(907/50200)	40.000	61.740	32.000



EARTHMOVERS BEARING (JCB etc..)

S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
549	22208 CW33 C3	40.000	80.000	23.000
550	22209 CW33 C3	45.000	85.000	23.000
551	22210 CW33 C3	50.000	90.000	23.000
552	22211 CW33 C3	55.000	100.000	25.000
553	22212 CW33 C3	60.000	110.000	28.000
554	22213 CW33 C3	65.000	120.000	31.000
555	22214 CW33 C3	70.000	125.000	31.000
556	22215 CW33 C3	75.000	130.000	31.000
557	22216 CW33 C3	80.000	140.000	33.000
558	22217 CW33 C3	85.000	150.000	36.000
559	22218 CW33 C3	90.000	160.000	40.000
560	22220 CW33 C3	100.000	180.000	46.000
561	22222 CW33 C3	110.000	200.000	53.000
562	22224 CW33 C3	120.000	215.000	58.000

EARTHMOVERS BEARING (JCB etc..)

S.NO.	BEARING NO.	INNER SIZE (d)	OUTER SIZE (D)	WIDTH (T)
		mm	mm	mm
564	22309 CW33 C3	45.000	100.000	36.000
565	22310 CW33 C3	50.000	110.000	40.000
566	22311 CW33 C3	55.000	120.000	43.000
567	22312 CW33 C3	60.000	130.000	46.000
568	22313 CW33 C3	65.000	140.000	48.000
569	22314 CW33 C3	70.000	150.000	51.000
570	22315 CW33 C3	75.000	160.000	55.000
571	22316 CW33 C3	80.000	170.000	58.000
572	22318 CW33 C3	90.000	190.000	64.000
573	22320 CW33 C3	100.000	215.000	73.000
574	22322 CW33 C3	110.000	240.000	80.000
575	22324 CW33 C3	120.000	260.000	86.000

TYPE OF BEARING PRODUCTION

Tapper Roller Bearing Ball Bearing King Pin Bearing Clutch Bearing Pedestal Unit Bearing Wheel & Hub Bearing Cylindrical Roller Bearing
Needle Roller Bearing Spherical Roller Bearing Thrust Ball Bearing Steering Bearing Center Bearing Double Row Ball Bearing
Water Pump Bearing Angular Contact Ball Bearing Special Agriculture Bearing

INFRASTRUCTURE



BEARING APPLICATION FOR



Manufacturing Unit **WESTERN ENGINEERS**

B-7, Industrial Estate, New Power House Road
JODHPUR 342003 (Rajasthan) INDIA
Contact No. +91 982 902 3064
E-mail : info@westernbearing.in
westernbearing1988@gmail.com

Visit us : www.westernbearing.in    